



2-leg EXOSET® Wire Rope Assembly

Galvanised steel cable with a cable diameter of 6 mm to 28 mm

Nom court de l'article	Diamètre du câble [mm]	Anneau	Élément de crochet	WLL t Angle 0°-45° [t]	WLL t Angle 45°-60° [t]	L1 min. [m]	Poids net [kg]
2 leg WRA DSG K 6mm 500	6	MLF-86-10	DSKA6	0.5	0.4	0.40	1.28
2 leg WRA DSG CAX 6mm 500	6	MLF-86-10	ESHC-6-10	0.5	0.4	0.46	1.78
2 leg WRA DSG CROX 6mm 500	6	MLF-86-10	ESLH-6-10	0.5	0.4	0.49	2.08
2 leg WRA DSG CAX 6mm 500	6	GrabiQ ML w Flat Access 1.25t	Exoset Eye Sling Hook 1.4t 6mm	0.5	0.4	0.50	1.78
2 leg WRA DSG CROX 6mm 500	6	GrabiQ ML w Flat Access 1.25t	Exoset Eye Safety Hook 1.4t 6mm	0.5	0.4	0.50	2.08
2 leg WRA DSG K 8mm 900	8	MLF-86-10	DSKA8	0.9	0.7	0.50	1.56
2 leg WRA DSG CAX 8mm 900	8	MLF-86-10	ESHC-6-10	0.9	0.7	0.51	2.06
2 leg WRA DSG CROX 8mm 900	8	MLF-86-10	ESLH-6-10	0.9	0.7	0.54	2.36
2 leg WRA DSG CAX 8mm 900	8	GrabiQ ML w Flat Access 1.25t	Exoset Eye Sling Hook 1.4t 6mm	0.9	0.7	0.60	2.06
2 leg WRA DSG CROX 8mm 900	8	GrabiQ ML w Flat Access 1.25t	Exoset Eye Safety Hook 1.4t 6mm	0.9	0.7	0.60	2.36
2 leg WRA DSG K 10mm 1400	10	MLF-86-10	DSKA10	1.4	1	0.60	2.68
2 leg WRA DSG CAX 10mm 1400	10	MLF-86-10	ESHC-6-10	1.4	1	0.61	3.18
2 leg WRA DSG CROX 10mm 1400	10	MLF-86-10	ESLH-6-10	1.4	1	0.63	2.76
2 leg WRA DSG CROX 10mm 1400	10	Exoset ML w Flat Access 3.2t	Exoset Eye Safety Hook 1.4t 6mm	1.4	1	0.70	2.76
2 leg WRA DSG CAX 10mm 1400	10	Exoset ML w Flat Access 3.2t	Exoset Eye Sling Hook 1.4t 6mm	1.4	1	0.70	3.18
2 leg WRA DSG K 12mm 2100	12	MLF-86-10	DSKA12	2.1	1.5	0.60	3.26
2 leg WRA DSG CAX 12mm 2100	12	MLF-86-10	ESLH-8-10	2.1	1.5	0.69	4.26
2 leg WRA DSG CAX 12mm 2100	12	Exoset ML w Flat Access 3.2t	Exoset Eye Sling Hook 2.5t 8mm	2.1	1.5	0.70	4.26





Nom court de l'article	Diamètre du câble [mm]	Anneau	Élément de crochet	WLL t Angle 0°-45° [t]	WLL t Angle 45°-60° [t]	L1 min. [m]	Poids net [kg]
2 leg WRA DSG CROX 12mm 2100	12	Exoset ML w Flat Access 3.2t	Exoset Eye Safety Hook 2.5t 8mm	2.1	1.5	0.73	5.22
2 leg WRA DSG CROX 12mm 2100	12	MLF-86-10	ESLH-8-10	2.1	1.5	0.73	5.22
2 leg WRA DSG K 14mm 2800	14	MLF-86-10	DSKA14	2.8	2	0.70	4.38
2 leg WRA DSG CAX 14mm 2800	14	MLF-108-10	ESHC-8-10	2.8	2	0.78	5.38
2 leg WRA DSG CAX 14mm 2800	14	Exoset ML w Flat Access 3.75t	Exoset Eye Sling Hook 2.5t 8mm	2.8	2	0.80	5.38
2 leg WRA DSG CROX 14mm 2800	14	MLF-108-10	ESLH-8-10	2.8	2	0.81	6.06
2 leg WRA DSG CROX 14mm 2800	14	Exoset ML w Flat Access 3.75t	Exoset Eye Safety Hook 2.5t 8mm	2.8	2	0.90	6.06
2 leg WRA DSG K 16mm 3700	16	MLF-108-10	DSKA16	3.7	2.7	0.80	4.38
2 leg WRA DSG CAX 16mm 3700	16	MLF-108-10	ESHC-10-10	3.7	2.7	0.89	6.32
2 leg WRA DSG CAX 16mm 3700	16	Exoset ML w Flat Access 3.75t	Exoset Eye Sling Hook 4t 10mm	3.7	2.7	0.90	6.32
2 leg WRA DSG CROX 16mm 3700	16	MLF-108-10	ESLH-10-10	3.7	2.7	0.91	7.2
2 leg WRA DSG CROX 16mm 3700	16	Exoset ML w Flat Access 3.75t	Exoset Eye Safety Hook 4t 10mm	3.7	2.7	1.00	7.2
2 leg WRA DSG K 18mm 4400	18	MLF-108-10	DSKA18	4.4	3.2	0.90	6.5
2 leg WRA DSG CAX 18mm 4400	18	MLF-1310-10	ESHC-10-10	4.4	3.2	1.01	8.44
2 leg WRA DSG CROX 18mm 4400	18	MLF-1310-10	ESLH-10-10	4.4	3.2	1.02	9.8
2 leg WRA DSG CAX 18mm 4400	18	Exoset ML w Flat Access 5.7t	Exoset Eye Sling Hook 4t 10mm	4.4	3.2	1.10	8.44



Nom court de l'article	Diamètre du câble [mm]	Anneau	Élément de crochet	WLL t Angle 0°-45° [t]	WLL t Angle 45°-60° [t]	L1 min. [m]	Poids net [kg]
2 leg WRA DSG CROX 18mm 4400	18	Exoset ML w Flat Access 5.7t	Exoset Eye Safety Hook 4t 10mm	4.4	3.2	1.10	9.8
2 leg WRA DSG K 20mm 6000	20	MLF-1310-10	DSKA20	6	4.3	1.0	7.17
2 leg WRA DSG CAX 20mm 6000	20	GrabiQ ML w Flat Access 7.5t	Exoset Eye Sling Hook 6.7t 13mm	6	4.3	1.1	10.97
2 leg WRA DSG CAX 20mm 6000	20	MLF-1310-10	ESHC-13-10	6	4.3	1.1	10.97
2 leg WRA DSG CROX 20mm 6000	20	MLF-1310-10	ESLH-13-10	6	4.3	1.15	13.8
2 leg WRA DSG CROX 20mm 6000	20	GrabiQ ML w Flat Access 7.5t	Exoset Eye Safety Hook 6.7t 13mm	6	4.3	1.20	13.8
2 leg WRA DSG K 22mm 7000	22	MLF-1310-10	DSKA22	7	5	1.10	8.6
2 leg WRA DSG CAX 22mm 7000	22	MLF-1310-10	ESHC-13-10	7	5	1.19	12.49
2 leg WRA DSG CAX 22mm 7000	22	GrabiQ ML w Flat Access 7.5t	Exoset Eye Sling Hook 6.7t 13mm	7	5	1.20	12.49
2 leg WRA DSG CROX 22mm 7000	22	MLF-1310-10	ESLH-13-10	7	5	1.23	15.2
2 leg WRA DSG CROX 22mm 7000	22	GrabiQ ML w Flat Access 7.5t	Exoset Eye Safety Hook 6.7t 13mm	7	5	1.30	15.2
2 leg WRA DSG K 24mm 8800	24	MLF-1613-10	DSKA24	8.8	6.3	1.20	14.2
2 leg WRA DSG CAX 24mm 8800	24	GrabiQ ML w Flat Access 10t	Exoset Eye Sling Hook 6.7t 13mm	8.8	6.3	1.3	18
2 leg WRA DSG CAX 24mm 8800	24	MLF-1613-10	ESHC-13-10	8.8	6.3	1.3	18
2 leg WRA DSG CROX 24mm 8800	24	MLF-1613-10	ESLH-13-10	8.8	6.3	1.34	20.8
2 leg WRA DSG CROX 24mm 8800	24	GrabiQ ML w Flat Access 10t	Exoset Eye Safety Hook 6.7t 13mm	8.8	6.3	1.40	20.8



Nom court de l'article	Diamètre du câble [mm]	Anneau	Élément de crochet	WLL t Angle 0°-45° [t]	WLL t Angle 45°-60° [t]	L1 min. [m]	Poids net [kg]
2 leg WRA DSG K 26mm 10000	26	MLF-1613-10	DSKA26	10	7.1	1.30	13.5
2 leg WRA DSG CAX 26mm 10000	26	MLF-1613-10	ESHC-16-10	10	7.1	1.45	20.1
2 leg WRA DSG CROX 26mm 10000	26	MLF-1613-10	ESLH-16-10	10	7.1	1.48	25.8
2 leg WRA DSG CAX 26mm 10000	26	GabiQ ML w Flat Access 10t	Exoset Eye Sling Hook 10t 16mm	10	7.1	1.50	20.1
2 leg WRA DSG CROX 26mm 10000	26	GabiQ ML w Flat Access 10t	Exoset Eye Safety Hook 10t 16mm	10	7.1	1.50	25.8
2 leg WRA DSG K 28mm 11700	28	MLF-2016-10	DSKA28	11.7	8.4	1.40	18
2 leg WRA DSG CAX 28mm 11700	28	MLF-2016-10	ESHC-16-10	11.7	8.4	1.58	24.6
2 leg WRA DSG CAX 28mm 11700	28	GabiQ ML w Flat Access 17t	Exoset Eye Sling Hook 10t 16mm	11.7	8.4	1.60	24.6
2 leg WRA DSG CROX 28mm 11700	28	GabiQ ML w Flat Access 17t	Exoset Eye Safety Hook 10t 16mm	11.7	8.4	1.6	27.9
2 leg WRA DSG CROX 28mm 11700	28	MLF-2016-10	ESLH-16-10	11.7	8.4	1.6	27.9



NUMÉROS DE COMMANDE

WLL t Angle 0° - 45°	Élément de crochet	6 mm	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm	22 mm	24 mm
0.5 t	Exoset Eye Sling Hook 1.4t 6mm	2009769	-	-	-	-	-	-	-	-	-
0.5 t	Exoset Eye Safety Hook 1.4t 6mm	2009755	-	-	-	-	-	-	-	-	-
0.5 t	DSKA6	2009781	-	-	-	-	-	-	-	-	-
0.5 t	ESHC-6-10	2021205	-	-	-	-	-	-	-	-	-
0.5 t	ESLH-6-10	2021193	-	-	-	-	-	-	-	-	-
0.9 t	Exoset Eye Sling Hook 1.4t 6mm	-	2009770	-	-	-	-	-	-	-	-
0.9 t	Exoset Eye Safety Hook 1.4t 6mm	-	2009758	-	-	-	-	-	-	-	-
0.9 t	DSKA8	-	2009782	-	-	-	-	-	-	-	-
0.9 t	ESHC-6-10	-	2021206	-	-	-	-	-	-	-	-
0.9 t	ESLH-6-10	-	2021194	-	-	-	-	-	-	-	-
1.4 t	Exoset Eye Sling Hook 1.4t 6mm	-	-	2009771	-	-	-	-	-	-	-
1.4 t	Exoset Eye Safety Hook 1.4t 6mm	-	-	2009759	-	-	-	-	-	-	-
1.4 t	DSKA10	-	-	2009783	-	-	-	-	-	-	-
1.4 t	ESHC-6-10	-	-	2021207	-	-	-	-	-	-	-
1.4 t	ESLH-6-10	-	-	2021195	-	-	-	-	-	-	-
2.1 t	Exoset Eye Sling Hook 2.5t 8mm	-	-	-	2009772	-	-	-	-	-	-
2.1 t	Exoset Eye Safety Hook 2.5t 8mm	-	-	-	2009760	-	-	-	-	-	-
2.1 t	DSKA12	-	-	-	2009784	-	-	-	-	-	-
2.1 t	ESLH-8-10	-	-	-	2021208,2021196	-	-	-	-	-	-
2.8 t	Exoset Eye Sling Hook 2.5t 8mm	-	-	-	-	2009773	-	-	-	-	-
2.8 t	Exoset Eye Safety Hook 2.5t 8mm	-	-	-	-	2009761	-	-	-	-	-
2.8 t	DSKA14	-	-	-	-	2009785	-	-	-	-	-
2.8 t	ESHC-8-10	-	-	-	-	2021209	-	-	-	-	-
2.8 t	ESLH-8-10	-	-	-	-	2021197	-	-	-	-	-
3.7 t	DSKA16	-	-	-	-	-	2009786	-	-	-	-
3.7 t	Exoset Eye Sling Hook 4t 10mm	-	-	-	-	-	2009774	-	-	-	-
3.7 t	Exoset Eye Safety Hook 4t 10mm	-	-	-	-	-	2009762	-	-	-	-
3.7 t	ESHC-10-10	-	-	-	-	-	2021210	-	-	-	-
3.7 t	ESLH-10-10	-	-	-	-	-	2021198	-	-	-	-
4.4 t	DSKA18	-	-	-	-	-	-	2009787	-	-	-
4.4 t	Exoset Eye Sling Hook 4t 10mm	-	-	-	-	-	-	2009775	-	-	-
4.4 t	Exoset Eye Safety Hook 4t 10mm	-	-	-	-	-	-	2009763	-	-	-
4.4 t	ESHC-10-10	-	-	-	-	-	-	2021211	-	-	-
4.4 t	ESLH-10-10	-	-	-	-	-	-	2021199	-	-	-



WLL t Angle 0° - 45°	Élément de crochet	6 mm	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm	22 mm	24 mm
6 t	Exoset Eye Sling Hook 6.7t 13mm	-	-	-	-	-	-	-	2009776	-	-
6 t	Exoset Eye Safety Hook 6.7t 13mm	-	-	-	-	-	-	-	2009764	-	-
6 t	DSKA20	-	-	-	-	-	-	-	2009788	-	-
6 t	ESHC-13-10	-	-	-	-	-	-	-	2021212	-	-
6 t	ESLH-13-10	-	-	-	-	-	-	-	2021200	-	-
7 t	Exoset Eye Sling Hook 6.7t 13mm	-	-	-	-	-	-	-	-	2009777	-
7 t	Exoset Eye Safety Hook 6.7t 13mm	-	-	-	-	-	-	-	-	2009765	-
7 t	DSKA22	-	-	-	-	-	-	-	-	2009789	-
7 t	ESHC-13-10	-	-	-	-	-	-	-	-	2021213	-
7 t	ESLH-13-10	-	-	-	-	-	-	-	-	2021201	-
8.8 t	Exoset Eye Sling Hook 6.7t 13mm	-	-	-	-	-	-	-	-	-	2009778
8.8 t	Exoset Eye Safety Hook 6.7t 13mm	-	-	-	-	-	-	-	-	-	2009766
8.8 t	DSKA24	-	-	-	-	-	-	-	-	-	2009790
8.8 t	ESHC-13-10	-	-	-	-	-	-	-	-	-	2021214
8.8 t	ESLH-13-10	-	-	-	-	-	-	-	-	-	2021202
10 t	DSKA26	-	-	-	-	-	-	-	-	-	-
10 t	Exoset Eye Sling Hook 10t 16mm	-	-	-	-	-	-	-	-	-	-
10 t	Exoset Eye Safety Hook 10t 16mm	-	-	-	-	-	-	-	-	-	-
10 t	ESHC-16-10	-	-	-	-	-	-	-	-	-	-
10 t	ESLH-16-10	-	-	-	-	-	-	-	-	-	-
11.7 t	DSKA28	-	-	-	-	-	-	-	-	-	-
11.7 t	Exoset Eye Sling Hook 10t 16mm	-	-	-	-	-	-	-	-	-	-
11.7 t	Exoset Eye Safety Hook 10t 16mm	-	-	-	-	-	-	-	-	-	-
11.7 t	ESHC-16-10	-	-	-	-	-	-	-	-	-	-
11.7 t	ESLH-16-10	-	-	-	-	-	-	-	-	-	-

WLL t Angle 0° - 45°	26 mm	28 mm
0.5 t	-	-
0.5 t	-	-
0.5 t	-	-
0.5 t	-	-
0.5 t	-	-
0.9 t	-	-
0.9 t	-	-



WLL t Angle 0° - 45°

26 mm

28 mm

0.9 t	-	-
0.9 t	-	-
0.9 t	-	-
1.4 t	-	-
1.4 t	-	-
1.4 t	-	-
1.4 t	-	-
1.4 t	-	-
2.1 t	-	-
2.1 t	-	-
2.1 t	-	-
2.1 t	-	-
2.8 t	-	-
2.8 t	-	-
2.8 t	-	-
2.8 t	-	-
3.7 t	-	-
3.7 t	-	-
3.7 t	-	-
3.7 t	-	-
3.7 t	-	-
4.4 t	-	-
4.4 t	-	-
4.4 t	-	-
4.4 t	-	-
4.4 t	-	-
6 t	-	-
6 t	-	-
6 t	-	-
6 t	-	-
6 t	-	-
7 t	-	-
7 t	-	-



WLL t Angle 0° - 45°	26 mm	28 mm
7 t	-	-
7 t	-	-
7 t	-	-
8.8 t	-	-
8.8 t	-	-
8.8 t	-	-
8.8 t	-	-
8.8 t	-	-
10 t	2009791	-
10 t	2009779	-
10 t	2009767	-
10 t	2021215	-
10 t	2021203	-
11.7 t	-	2009792
11.7 t	-	2009780
11.7 t	-	2009768
11.7 t	-	2021216
11.7 t	-	2021204

- Normes EN 13414-1
- Matériel principal Acier
- Plage de température -40° C to + 100° C
- Contenu des unités d'emballage (UE) 1

