

2-Strang-GrabiQ-Kettengehänge, mit extra grossem Ovalring

Mit extra grossem Ovalring, verkürzbar

Artikel Name kurz	Ketten-Durchmesser	Öse	Abmessung L min [m]	Kette Komponente	Haken-Komponente	WLL t Winkel 0°- 45° [t]	WLL t Winkel 45°- 60° [t]
2leg Chain Assembly GrabiQ MFX CGD EGKN 10 5600	10 mm	GrabiQ ML Oversized 6.7t	-	KLA-10-10 G10 4t	GrabiQ Clevis Sling Hook 4t 10mm	5.6	4
2leg Chain Assembly GrabiQ MFX CGD EGKN 8 3500	8 mm	GrabiQ ML Oversized 4t	0.7	KLA-8-10 G10 2.5t	GrabiQ Clevis Sling Hook 2.5t 8mm	3.5	2.5
2leg Chain Assembly GrabiQ MFX CGD GBK 8 3500	8 mm	GrabiQ ML Oversized 4t	0.7	KLA-8-10 G10 2.5t	GrabiQ Clevis Safety Hook 2.5t 8mm	3.5	2.5
2leg Chain Assembly GrabiQ MFX CGD GBK 10 5600	10 mm	GrabiQ ML Oversized 6.7t	0.8	KLA-10-10 G10 4t	GrabiQ Clevis Safety Hook 4t 10mm	5.6	4
2leg Chain Assembly GrabiQ MFX CGD EGKN 13 9300	13 mm	GrabiQ ML Oversized 10t	0.8	KLA-13-10 G10 6.7t	GrabiQ Clevis Sling Hook 6.7t 13mm	9.1	6.5
2leg Chain Assembly GrabiQ MFX CGD GBK 13 9300	13 mm	GrabiQ ML Oversized 10t	0.9	KLA-13-10 G10 6.7t	GrabiQ Clevis Safety Hook 6.7t 13mm	9.1	6.5
2leg Chain Assembly GrabiQ MFX CGD EGKN 16 14000	16 mm	GrabiQ ML Oversized 16t	0.9	KLA-16-10 G10 10t	GrabiQ Clevis Sling Hook 10t 16mm	14	10
2leg Chain Assembly GrabiQ MFX CGD GBK 16 14000	16 mm	GrabiQ ML Oversized 16t	1	KLA-16-10 G10 10t	GrabiQ Clevis Safety Hook 10t 16mm	14	10





Artikel Name kurz	WLL kg Winkel 0° - 45° [kg]	WLL kg Winkel 45° - 60° [kg]	Gewicht für 1m [kg]	Gewicht pro Meter [kg/m]
2leg Chain Assembly GrabiQ MFX CGD EGKN 10 5600	5600	4000	12.8	4.6
2leg Chain Assembly GrabiQ MFX CGD EGKN 8 3500	3500	2500	8.3	2.8
2leg Chain Assembly GrabiQ MFX CGD GBK 8 3500	3500	2500	8.6	2.8
2leg Chain Assembly GrabiQ MFX CGD GBK 10 5600	5600	4000	14.27	4.6
2leg Chain Assembly GrabiQ MFX CGD EGKN 13 9300	9100	6500	22.2	7.6
2leg Chain Assembly GrabiQ MFX CGD GBK 13 9300	9100	6500	22.5	7.6
2leg Chain Assembly GrabiQ MFX CGD EGKN 16 14000	14000	10000	34.1	11.2
2leg Chain Assembly GrabiQ MFX CGD GBK 16 14000	14000	10000	34.9	11.2



BESTELLNUMMERN

WLL t Winkel 0° - 45°	Haken-Komponente	8 mm	10 mm	13 mm	16 mm
3.5 t	 GrabiQ Clevis Safety Hook 2.5t 8mm	2017294	-	-	-
3.5 t	 GrabiQ Clevis Sling Hook 2.5t 8mm	2017299	-	-	-
5.6 t	 GrabiQ Clevis Safety Hook 4t 10mm	-	2017295	-	-
5.6 t	 GrabiQ Clevis Sling Hook 4t 10mm	-	2017300	-	-
9.1 t	 GrabiQ Clevis Safety Hook 6.7t 13mm	-	-	2017296	-
9.1 t	 GrabiQ Clevis Sling Hook 6.7t 13mm	-	-	2017301	-
14 t	 GrabiQ Clevis Safety Hook 10t 16mm	-	-	-	2017297
14 t	 GrabiQ Clevis Sling Hook 10t 16mm	-	-	-	2017302

- Klasse 100
- Hauptmaterial Stahl
- Temperaturbereich -40° C to + 200° C
- Verpackungseinheit (VPE) Inhalt 1

