

2-Strang Power Bandstruppen Gehänge

Leicht, handlich, materialschonend, flexibel und verrottungsfest



Artikel Name kurz	Öse	Haken- Komponente	WLL t Winkel 0°- 45° [t]	WLL t Winkel 45°- 60° [t]	L1 min. [m]	Gewicht für 1m [kg]	Gewicht pro Meter [kg/m]
2 leg Lifting Belt Assembly 020 CAX	Exoset ML w Flat Access 3.2t	Exoset Eye Sling Hook 1.4t 6mm	0.7	0.5	0.55	1.3	0.3
2 leg Lifting Belt Assembly 020 CROX	Exoset ML w Flat Access 3.2t	Exoset Eye Safety Hook 1.4t 6mm	0.7	0.5	0.55	1.35	0.3
2 leg Lifting Belt Assembly 0500 ESHC	MLF-108-10	ESHC-6-10	0.7	0.5	0.6	1.3	0.3
2 leg Lifting Belt Assembly 0500 ESLH	MLF-108-10	ESLH-6-10	0.7	0.5	0.60	1.35	0.3
2 leg Lifting Belt Assembly 1000 CAX	Exoset ML w Flat Access 3.75t	Exoset Eye Sling Hook 1.4t 6mm	1.4	1	0.7	1.6	0.3
2 leg Lifting Belt Assembly 1000 CROX	Exoset ML w Flat Access 3.75t	Exoset Eye Safety Hook 1.4t 6mm	1.4	1	0.7	1.6	0.3
2 leg Lifting Belt Assembly 1000 ESLH	MLF-108-10	ESLH-8-10	1.4	1	0.7	1.6	0.3
2 leg Lifting Belt Assembly 1000 ESHC	MLF-108-10	ESHC-8-10	1.4	1	0.7	1.6	0.3
2 leg Lifting Belt Assembly 2000 CAX	Exoset ML w Flat Access 5.7t	Exoset Eye Sling Hook 2.5t 8mm	2.8	2	0.9	3	0.6
2 leg Lifting Belt Assembly 2000 CROX	Exoset ML w Flat Access 5.7t	Exoset Eye Safety Hook 2.5t 8mm	2.8	2	0.9	3	0.6
2 leg Lifting Belt Assembly 2000 ESLH	MLF-1310-10	ESLH-10-10	2.8	2	0.9	3	0.6
2 leg Lifting Belt Assembly 2000 ESHC	MLF-1310-10	ESHC-10-10	2.8	2	0.9	3	0.6
2 leg Lifting Belt Assembly 3000 CAX	Exoset ML w Flat Access 5.7t	Exoset Eye Sling Hook 4t 10mm	4.2	3	0.95	5.7	1.1
2 leg Lifting Belt Assembly 3000 CROX	Exoset ML w Flat Access 5.7t	Exoset Eye Safety Hook 4t 10mm	4.2	3	0.95	5.7	1.1





L

Artikel Name kurz	Öse	Haken-Komponente	WLL t Winkel 0°-45° [t]	WLL t Winkel 45°- 60° [t]	L1 min. [m]	Gewicht für 1m [kg]	Gewicht pro Meter [kg/m]
2 leg Lifting Belt Assembly 3000 ESLH	MLF-1310-10	ESLH-10-10	4.2	3	1	5.7	1.1
2 leg Lifting Belt Assembly 3000 ESHC	MLF-1310-10	ESHC-10-10	4.2	3	1	5.7	1.1
Artikel Name kurz							Farbe
2 leg Lifting Belt Assembly 020 CAX							Olivgrün
2 leg Lifting Belt Assembly 020 CROX							Olivgrün
2 leg Lifting Belt Assembly 0500 ESHC							Olivgrün
2 leg Lifting Belt Assembly 0500 ESLH							Olivgrün
2 leg Lifting Belt Assembly 1000 CAX							violett
2 leg Lifting Belt Assembly 1000 CROX							violett
2 leg Lifting Belt Assembly 1000 ESLH							violett
2 leg Lifting Belt Assembly 1000 ESHC							violett
2 leg Lifting Belt Assembly 2000 CAX							Grün
2 leg Lifting Belt Assembly 2000 CROX							Grün
2 leg Lifting Belt Assembly 2000 ESLH							Grün
2 leg Lifting Belt Assembly 2000 ESHC							Grün
2 leg Lifting Belt Assembly 3000 CAX							Gelb
2 leg Lifting Belt Assembly 3000 CROX							Gelb
2 leg Lifting Belt Assembly 3000 ESLH							Gelb
2 leg Lifting Belt Assembly 3000 ESHC							Gelb



BESTELLNUMMERN

Haken-Komponente	0.7 t	1.4 t	2.8 t	4.2 t
 Exoset Eye Sling Hook 1.4t 6mm	2009881	2009883	-	-
 Exoset Eye Safety Hook 1.4t 6mm	2009882	2009884	-	-
 Exoset Eye Sling Hook 2.5t 8mm	-	-	2009885	-
 Exoset Eye Safety Hook 2.5t 8mm	-	-	2009886	-
 Exoset Eye Sling Hook 4t 10mm	-	-	-	2009887
 Exoset Eye Safety Hook 4t 10mm	-	-	-	2009888
 ESLH-6-10	2027872	-	-	-
 ESHC-6-10	2027868	-	-	-
 ESLH-8-10	-	2027873	-	-
 ESHC-8-10	-	2027869	-	-
 ESLH-10-10	-	-	2027874	2027875
 ESHC-10-10	-	-	2027870	2027871

■ **Normen** EN 1492-1: 2000
 ■ **Temperaturbereich** -40°C bis +100°C

SpanSet AG
 Eichbühlstrasse 31
 8618 Oetwil am See
 Schweiz
 +41 44 929 70 70
 info@spanset.ch
 www.spanset.ch



Technische Änderungen vorbehalten. Alle Rechte vorbehalten. Kein Teil dieses Technischen Datenblattes darf in irgendeiner Form (Druck, Fotokopie, Mikrofilm oder ein anderes Verfahren) ohne schriftliche Genehmigung der Firma SpanSet reproduziert oder unter Verwendung elektronischer Systeme verarbeitet, vervielfältigt oder verbreitet werden. Das vorliegende Technische Datenblatt wurde mit der gebotenen Sorgfalt erarbeitet; SpanSet übernimmt keinerlei Haftung für Fehler oder Auslassungen. © SpanSet AG - Schweiz

**SpanSet
 Certified
 Safety**

■ Verpackungseinheit (VPE) Inhalt 1

