


Drahtseilkausche

Kausche für Drahtseil



Artikel Name kurz	Für Drahtseil- Durchmesser [mm]	WLL [kg]	WLL [t]	Abmessung B [mm]	Abmessung D [mm]	Abmessung L [mm]	Nettogewicht kg [kg]
DSKA6	6	400	0.4	21	11	34	0.05
DSKA8	8	700	0.7	24	14	38	0.05
DSKA10	10	1000	1	28	16	47	0.05
DSKA12	12	1500	1.5	32	19	51	0.06
DSKA14	14	2000	2	38	21	57	0.07
DSKA16	16	2700	2.7	40	23	65	0.08
DSKA18	18	3200	3.2	46	25	71	0.10
DSKA20	20	4300	4.3	50	31	80	0.11
DSKA22	22	5000	5	58	30	87	0.13
DSKA24	24	6300	6.3	65	33	100	0.15
DSKA26	26	7200	7.2	72	36	111	0.18
DSKA28	28	8400	8.4	76	37	127	0.20



BESTELLNUMMERN

Für Drahtseil-Durchmesser	DSKA6	DSKA8	DSKA10	DSKA12	DSKA14	DSKA16	DSKA18	DSKA20	DSKA22	DSKA24	DSKA26
6 mm	2020221	-	-	-	-	-	-	-	-	-	-
8 mm	-	2020222	-	-	-	-	-	-	-	-	-
10 mm	-	-	2020223	-	-	-	-	-	-	-	-
12 mm	-	-	-	2020224	-	-	-	-	-	-	-
14 mm	-	-	-	-	2020225	-	-	-	-	-	-
16 mm	-	-	-	-	-	2020226	-	-	-	-	-
18 mm	-	-	-	-	-	-	2020227	-	-	-	-
20 mm	-	-	-	-	-	-	-	2020228	-	-	-
22 mm	-	-	-	-	-	-	-	-	2020229	-	-
24 mm	-	-	-	-	-	-	-	-	-	2020230	-
26 mm	-	-	-	-	-	-	-	-	-	-	2020231
28 mm	-	-	-	-	-	-	-	-	-	-	-

FÄ ¼r Drahtseil-Durchmesser

DSKA28

6 mm	-
8 mm	-
10 mm	-
12 mm	-
14 mm	-
16 mm	-
18 mm	-
20 mm	-
22 mm	-
24 mm	-
26 mm	-
28 mm	2020232

- Normen DIN 6899 B
- Hauptmaterial Stahl
- Temperaturbereich -40° C to + 100° C
- Verpackungseinheit (VPE) Inhalt 1

