


Drahtseilschlaufe mit Schmiedekopf

Für Maschinentransporte und Betonfertigteile

Artikel Name kurz	WLL [kg]	WLL [t]	WLL t Winkel 0° [t]	WLL kg Winkel 0° - 45° [kg]	G [mm]	L [mm]	Farbe
GOS12	500	0.5	0.5	500	12	335	Orange
GOS14	800	0.8	0.8	800	14	335	Weiss
GOS16	1200	1.2	1.2	1200	16	385	Rot
GOS18	1600	1.6	1.6	1600	18	470	Rosa
GOS20	2000	2	2	2000	20	470	Hellgrün
GOS30	4000	4	4	4000	30	590	Olivgrün
GOS36	6300	6.3	6.3	6300	36	780	Blau
GOS42	8000	8	8	8000	42	860	Grau
GOS52	12500	12.5	12.5	12500	52	1080	Gelb





BESTELLNUMMERN

Abmessung G	GOS12	GOS14	GOS16	GOS18	GOS20	GOS30	GOS36	GOS42	GOS52
12 mm	2020136	-	-	-	-	-	-	-	-
14 mm	-	2020137	-	-	-	-	-	-	-
16 mm	-	-	2020138	-	-	-	-	-	-
18 mm	-	-	-	2020139	-	-	-	-	-
20 mm	-	-	-	-	2020140	-	-	-	-
30 mm	-	-	-	-	-	2020142	-	-	-
36 mm	-	-	-	-	-	-	2020143	-	-
42 mm	-	-	-	-	-	-	-	2020144	-
52 mm	-	-	-	-	-	-	-	-	2020145



■ Hauptmaterial	Stahl
■ Verpackungseinheit (VPE) Inhalt	1

