



Economy Schwerlastrundschnge

Standard-Rundschnge aus strapazierfhigem Polyester

Artikel Name kurz	WLL [kg]	WLL [t]	L1 [m]	ca. Auflagebreite unter Last in mm [mm]	ca. Auflagedicke unter Last in mm [mm]	Nettogewicht kg [kg]
RS 10000 3m	10000	10	3	99	15	7.8
RS 10000 4m	10000	10	4	99	15	8.6
RS 10000 5m	10000	10	5	99	15	9.4
RS 10000 6m	10000	10	6	99	15	10.2
RS 15000 3m	15000	15	3	115	16	8.4
RS 15000 4m	15000	15	4	115	16	9.1
RS 15000 5m	15000	15	5	115	16	10
RS 15000 6m	15000	15	6	115	16	10.9
RS 20000 3m	20000	20	3	140	20	9.2
RS 20000 4m	20000	20	4	140	20	9.9
RS 20000 5m	20000	20	5	140	20	10.8
RS 20000 6m	20000	20	6	140	20	11.7
RS 25000 3m	25000	25	3	153	23	9.6
RS 25000 4m	25000	25	4	153	23	10.4
RS 25000 5m	25000	25	5	153	23	11.2
RS 25000 6m	25000	25	6	153	23	12
RS 30000 3m	30000	30	3	167	24	10.2
RS 30000 4m	30000	30	4	167	24	11
RS 30000 5m	30000	30	5	167	24	11.8
RS 30000 6m	30000	30	6	167	24	12.6

BESTELLNUMMERN

Abmessung L1	10 t	15 t	20 t	25 t	30 t
3 m	2002813	2002815	2002817	2002819	2002821
4 m	2002814	2002816	2002818	2002820	2002822
5 m	2003297	2003298	2003299	2003300	2003301
6 m	2021022	2021024	2021026	2021028	2021030

■ Hauptmaterial	Polyester
■ Farbe	Orange
■ Temperaturbereich	- 40 tot + 100°C
■ Qualitt	Economy
■ Etikettenschutz	Ja
■ Verpackungseinheit (VPE) Inhalt	1



