


GrabiQ Sicherheitshaken, drehbar

Drehbarer, unter Last selbstschliessender Sicherheitshaken

Artikel Name kurz	WLL [kg]	Ketten-Durchmesser	WLL [t]	Abmessung B [mm]	Abmessung C [mm]	Abmessung E [mm]	Abmessung G [mm]
GrabiQ Swivel Safety Hook 1.5t 6mm	1500	6 mm	1.5	29	23	33	15
GrabiQ Swivel Safety Hook 2.5t 7/8mm	2500	8 mm	2.5	37	27	38	17
GrabiQ Swivel Safety Hook 4t 10mm	4000	10 mm	4	45	37	44	21
GrabiQ Swivel Safety Hook 6.7t 13mm	6700	13 mm	6.7	55	49	48	30
GrabiQ Swivel Safety Hook 10t 16mm	10000	16 mm	10	62	65	61	37
GrabiQ Swivel Safety Hook 16t 20mm	16000	18/20 mm	16	68	70	72	44

Artikel Name kurz	Abmessung H [mm]	Abmessung L [mm]	Nettogewicht kg [kg]	EAN-Code
GrabiQ Swivel Safety Hook 1.5t 6mm	21	149	0.7	-
GrabiQ Swivel Safety Hook 2.5t 7/8mm	26	183	1.2	7610726101535
GrabiQ Swivel Safety Hook 4t 10mm	31	218	2	7610726101511
GrabiQ Swivel Safety Hook 6.7t 13mm	40	282	4	7610726101528
GrabiQ Swivel Safety Hook 10t 16mm	50	341	7.2	-
GrabiQ Swivel Safety Hook 16t 20mm	62	368	11.4	-



BESTELLNUMMERN

Ketten- Durchmesser	GrabiQ Swivel Safety Hook 1.5t 6mm	GrabiQ Swivel Safety Hook 2.5t 7/8mm	GrabiQ Swivel Safety Hook 4t 10mm	GrabiQ Swivel Safety Hook 6.7t 13mm	GrabiQ Swivel Safety Hook 10t 16mm	GrabiQ Swivel Safety Hook 16t 20mm
6 mm	2008661	-	-	-	-	-
8 mm	-	2008662	-	-	-	-
10 mm	-	-	2008663	-	-	-
13 mm	-	-	-	2008664	-	-
16 mm	-	-	-	-	2008665	-
18/20 mm	-	-	-	-	-	2008666

■ Normen	EN 1677
■ Klasse	100
■ Hauptmaterial	Stahl
■ Farbe	Neongelb
■ Temperaturbereich	-40° C to + 200° C
■ Verpackungseinheit (VPE) Inhalt	1

