



## Jeu de levage EXOSET® en câble à 1 brin avec boucle

Galvanised steel cable with a cable diameter of 6 to 28 mm

Nom court de l'article	Diamètre du câble [mm]	WLL [kg]	WLL [t]	Élément de crochet	L1 min. [m]	Poids net [kg]
1 leg WRA DSH CAX 6mm 400	6	400	0.4	ESHC-6-10	0.42	0.35
1 leg WRA DSH CROX 6mm 400	6	400	0.4	ESLH-6-10	0.44	0.55
1 leg WRA DSH CAX 6mm 400	6	400	0.4	Exoset Eye Sling Hook 1.4t 6mm	0.50	0.35
1 leg WRA DSH CROX 6mm 400	6	400	0.4	Exoset Eye Safety Hook 1.4t 6mm	0.50	0.55
1 leg WRA DSH CAX 8mm 700	8	700	0.7	ESHC-6-10	0.45	0.8
1 leg WRA DSH CAX 8mm 700	8	700	0.7	Exoset Eye Sling Hook 1.4t 6mm	0.50	0.8
1 leg WRA DSH CROX 8mm 700	8	700	0.7	Exoset Eye Safety Hook 1.4t 6mm	0.50	1.01
1 leg WRA DSH CROX 8mm 700	8	700	0.7	ESLH-6-10	0.52	1.01
1 leg WRA DSH CAX 10mm 1000	10	1000	1	ESHC-6-10	0.59	1.25
1 leg WRA DSH CAX 10mm 1000	10	1000	1	Exoset Eye Sling Hook 1.4t 6mm	0.60	1.25
1 leg WRA DSH CROX 10mm 1000	10	1000	1	ESLH-6-10	0.62	1.5
1 leg WRA DSH CROX 10mm 1000	10	1000	1	Exoset Eye Safety Hook 1.4t 6mm	0.70	1.5
1 leg WRA DSH CAX 12mm 1500	12	1500	1.5	ESHC-8-10	0.71	1.78
1 leg WRA DSH CROX 12mm 1500	12	1500	1.5	ESLH-8-10	0.74	2.03
1 leg WRA DSH CAX 12mm 1500	12	1500	1.5	Exoset Eye Sling Hook 2.5t 8mm	0.80	1.78
1 leg WRA DSH CROX 12mm 1500	12	1500	1.5	Exoset Eye Safety Hook 2.5t 8mm	0.80	2.03
1 leg WRA DSH CAX 14mm 2000	14	2000	2	Exoset Eye Sling Hook 2.5t 8mm	0.8	1.9
1 leg WRA DSH CAX 14mm 2000	14	2000	2	ESHC-8-10	0.8	1.9
1 leg WRA DSH CROX 14mm 2000	14	2000	2	Exoset Eye Safety Hook 2.5t 8mm	0.80	2.35
1 leg WRA DSH CROX 14mm 2000	14	2000	2	ESLH-8-10	0.83	2.35
1 leg WRA DSH CAX 16mm 2700	16	2700	2.7	ESHC-10-10	0.94	2.95





Nom court de l'article	Diamètre du câble [mm]	WLL [kg]	WLL [t]	Élément de crochet	L1 min. [m]	Poids net [kg]
1 leg WRA DSH CROX 16mm 2700	16	2700	2.7	ESLH-10-10	0.95	3.6
1 leg WRA DSH CAX 16mm 2700	16	2700	2.7	Exoset Eye Sling Hook 4t 10mm	1.0	2.95
1 leg WRA DSH CROX 16mm 2700	16	2700	2.7	Exoset Eye Safety Hook 4t 10mm	1.0	3.6
1 leg WRA DSH CAX 18mm 3200	18	3200	3.2	Exoset Eye Sling Hook 4t 10mm	1.04	3.3
1 leg WRA DSH CAX 18mm 3200	18	3200	3.2	ESHC-10-10	1.04	3.3
1 leg WRA DSH CROX 18mm 3200	18	3200	3.2	ESLH-10-10	1.05	3.98
1 leg WRA DSH CROX 18mm 3200	18	3200	3.2	Exoset Eye Safety Hook 4t 10mm	1.10	3.98
1 leg WRA DSH CAX 20mm 4300	20	4300	4.3	ESHC-13-10	1.16	4.75
1 leg WRA DSH CAX 20mm 4300	20	4300	4.3	Exoset Eye Sling Hook 6.7t 13mm	1.20	4.75
1 leg WRA DSH CROX 20mm 4300	20	4300	4.3	Exoset Eye Safety Hook 6.7t 13mm	1.20	6.1
1 leg WRA DSH CROX 20mm 4300	20	4300	4.3	ESLH-13-10	1.21	6.1
1 leg WRA DSH CAX 22mm 5000	22	5000	5	ESHC-13-10	1.27	5.55
1 leg WRA DSH CAX 22mm 5000	22	5000	5	Exoset Eye Sling Hook 6.7t 13mm	1.30	5.55
1 leg WRA DSH CROX 22mm 5000	22	5000	5	Exoset Eye Safety Hook 6.7t 13mm	1.30	6.86
1 leg WRA DSH CROX 22mm 5000	22	5000	5	ESLH-13-10	1.31	6.86
1 leg WRA DSH CAX 24mm 6300	24	6300	6.3	ESHC-13-10	1.37	8.95
1 leg WRA DSH CAX 24mm 6300	24	6300	6.3	Exoset Eye Sling Hook 6.7t 13mm	1.40	8.95
1 leg WRA DSH CROX 24mm 6300	24	6300	6.3	Exoset Eye Safety Hook 6.7t 13mm	1.40	8.95
1 leg WRA DSH CROX 24mm 6300	24	6300	6.3	ESLH-13-10	1.41	8.95
1 leg WRA DSH CAX 26mm 7200	26	7200	7.2	ESHC-16-10	1.54	8.65
1 leg WRA DSH CROX 26mm 7200	26	7200	7.2	ESLH-16-10	1.56	11.45
1 leg WRA DSH CAX 26mm 7200	26	7200	7.2	Exoset Eye Sling Hook 10t 16mm	1.60	8.65



Nom court de l'article	Diamètre du câble [mm]	WLL [kg]	WLL [t]	Élément de crochet	L1 min. [m]	Poids net [kg]
1 leg WRA DSH CROX 26mm 7200	26	7200	7.2	Exoset Eye Safety Hook 10t 16mm	1.60	11.45
1 leg WRA DSH CAX 28mm 8400	28	8400	8.4	ESHC-16-10	1.64	9.7
1 leg WRA DSH CROX 28mm 8400	28	8400	8.4	ESLH-16-10	1.66	12.5
1 leg WRA DSH CAX 28mm 8400	28	8400	8.4	Exoset Eye Sling Hook 10t 16mm	1.70	9.7
1 leg WRA DSH CROX 28mm 8400	28	8400	8.4	Exoset Eye Safety Hook 10t 16mm	1.70	12.5



#### NUMÉROS DE COMMANDE

WLL	Élément de crochet	6 mm	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm	22 mm	24 mm
0.4 t	Exoset Eye Sling Hook 1.4t 6mm	2009695	-	-	-	-	-	-	-	-	-
0.4 t	Exoset Eye Safety Hook 1.4t 6mm	2009683	-	-	-	-	-	-	-	-	-
0.4 t	ESHC-6-10	2021145	-	-	-	-	-	-	-	-	-
0.4 t	ESLH-6-10	2021133	-	-	-	-	-	-	-	-	-
0.7 t	Exoset Eye Sling Hook 1.4t 6mm	-	2009696	-	-	-	-	-	-	-	-
0.7 t	Exoset Eye Safety Hook 1.4t 6mm	-	2009684	-	-	-	-	-	-	-	-
0.7 t	ESHC-6-10	-	2021146	-	-	-	-	-	-	-	-
0.7 t	ESLH-6-10	-	2021134	-	-	-	-	-	-	-	-
1 t	Exoset Eye Sling Hook 1.4t 6mm	-	-	2009697	-	-	-	-	-	-	-
1 t	Exoset Eye Safety Hook 1.4t 6mm	-	-	2009685	-	-	-	-	-	-	-
1 t	ESHC-6-10	-	-	2021147	-	-	-	-	-	-	-
1 t	ESLH-6-10	-	-	2021135	-	-	-	-	-	-	-
1.5 t	Exoset Eye Sling Hook 2.5t 8mm	-	-	-	2009698	-	-	-	-	-	-
1.5 t	Exoset Eye Safety Hook 2.5t 8mm	-	-	-	2009686	-	-	-	-	-	-
1.5 t	ESHC-8-10	-	-	-	2021148	-	-	-	-	-	-
1.5 t	ESLH-8-10	-	-	-	2021136	-	-	-	-	-	-
2 t	Exoset Eye Sling Hook 2.5t 8mm	-	-	-	-	2009699	-	-	-	-	-
2 t	Exoset Eye Safety Hook 2.5t 8mm	-	-	-	-	2009687	-	-	-	-	-
2 t	ESHC-8-10	-	-	-	-	2021149	-	-	-	-	-
2 t	ESLH-8-10	-	-	-	-	2021137	-	-	-	-	-
2.7 t	Exoset Eye Sling Hook 4t 10mm	-	-	-	-	-	2009700	-	-	-	-
2.7 t	Exoset Eye Safety Hook 4t 10mm	-	-	-	-	-	2009688	-	-	-	-
2.7 t	ESHC-10-10	-	-	-	-	-	2021150	-	-	-	-
2.7 t	ESLH-10-10	-	-	-	-	-	2021138	-	-	-	-
3.2 t	Exoset Eye Sling Hook 4t 10mm	-	-	-	-	-	-	2009701	-	-	-
3.2 t	Exoset Eye Safety Hook 4t 10mm	-	-	-	-	-	-	2009689	-	-	-
3.2 t	ESHC-10-10	-	-	-	-	-	-	2021151	-	-	-
3.2 t	ESLH-10-10	-	-	-	-	-	-	2021139	-	-	-
4.3 t	Exoset Eye Sling Hook 6.7t 13mm	-	-	-	-	-	-	-	2009702	-	-
4.3 t	Exoset Eye Safety Hook 6.7t 13mm	-	-	-	-	-	-	-	2009690	-	-
4.3 t	ESHC-13-10	-	-	-	-	-	-	-	2021152	-	-
4.3 t	ESLH-13-10	-	-	-	-	-	-	-	2021140	-	-
5 t	Exoset Eye Sling Hook 6.7t 13mm	-	-	-	-	-	-	-	-	2009703	-
5 t	Exoset Eye Safety Hook 6.7t 13mm	-	-	-	-	-	-	-	-	2009691	-



WLL	Élément de crochet	6 mm	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm	22 mm	24 mm
5 t	ESHC-13-10	-	-	-	-	-	-	-	-	2021153	-
5 t	ESLH-13-10	-	-	-	-	-	-	-	-	2021141	-
6.3 t	Exoset Eye Sling Hook 6.7t 13mm	-	-	-	-	-	-	-	-	-	2009704
6.3 t	Exoset Eye Safety Hook 6.7t 13mm	-	-	-	-	-	-	-	-	-	2009692
6.3 t	ESHC-13-10	-	-	-	-	-	-	-	-	-	2021154
6.3 t	ESLH-13-10	-	-	-	-	-	-	-	-	-	2021142
7.2 t	Exoset Eye Sling Hook 10t 16mm	-	-	-	-	-	-	-	-	-	-
7.2 t	Exoset Eye Safety Hook 10t 16mm	-	-	-	-	-	-	-	-	-	-
7.2 t	ESHC-16-10	-	-	-	-	-	-	-	-	-	-
7.2 t	ESLH-16-10	-	-	-	-	-	-	-	-	-	-
8.4 t	Exoset Eye Sling Hook 10t 16mm	-	-	-	-	-	-	-	-	-	-
8.4 t	Exoset Eye Safety Hook 10t 16mm	-	-	-	-	-	-	-	-	-	-
8.4 t	ESHC-16-10	-	-	-	-	-	-	-	-	-	-
8.4 t	ESLH-16-10	-	-	-	-	-	-	-	-	-	-

WLL	26 mm	28 mm
0.4 t	-	-
0.4 t	-	-
0.4 t	-	-
0.4 t	-	-
0.7 t	-	-
0.7 t	-	-
0.7 t	-	-
0.7 t	-	-
1 t	-	-
1 t	-	-
1 t	-	-
1 t	-	-
1.5 t	-	-
1.5 t	-	-
1.5 t	-	-
1.5 t	-	-
2 t	-	-
2 t	-	-



WLL	26 mm	28 mm
2 t	-	-
2 t	-	-
2.7 t	-	-
2.7 t	-	-
2.7 t	-	-
2.7 t	-	-
3.2 t	-	-
3.2 t	-	-
3.2 t	-	-
3.2 t	-	-
4.3 t	-	-
4.3 t	-	-
4.3 t	-	-
4.3 t	-	-
5 t	-	-
5 t	-	-
5 t	-	-
5 t	-	-
6.3 t	-	-
6.3 t	-	-
6.3 t	-	-
6.3 t	-	-
7.2 t	2009705	-
7.2 t	2009693	-
7.2 t	2021155	-
7.2 t	2021143	-
8.4 t	-	2009706
8.4 t	-	2009694
8.4 t	-	2021156
8.4 t	-	2021144

- Normes EN 13414-1
- Matériel principal Acier
- Plage de température -40° C to + 100° C
- Contenu des unités d'emballage (UE) 1

