


Lastbockgewinde

Volle Tragfähigkeit in alle Lastrichtungen. Nur noch solange Vorrat

Artikel Name kurz	WLL kg Winkel 0° [kg]	WLL t Winkel 0° [t]	WLL kg Winkel 90° [kg]	WLL t Winkel 90° [t]	A [mm]	Abmessung B [mm]	Abmessung C [mm]
XOPSTR-00-08	300	0.3	300	0.3	57	34	10
XOPSTR-00-10	630	0.63	630	0.63	57	34	10
XOPSTR-01-12	1000	1	1000	1	66	38	13.5
XOPSTR-01-16	1500	1.5	1500	1.5	66	38	13.5
XOPSTR-02-20	2500	2.5	2500	2.5	87	55	16
XOPSTR-04-24	4000	4	4000	4	87	55	16
XOPSTR-05-30	5000	5	5000	5	109	66	22.5
XOPSTR-07-36	7000	7	7000	7	109	66	22.5
XOPSTR-08-36	8000	8	8000	8	136	78	28
XOPSTR-10-42	10000	10	10000	10	136	78	28
XOPSTR-15-42	15000	15	15000	15	169	97	36
XOPSTR-20-48	20000	20	20000	20	169	97	36

Artikel Name kurz	Abmessung D [mm]	Abmessung E [mm]	Abmessung F [mm]	Abmessung G [mm]	Abmessung H [mm]	Abmessung J [mm]	Abmessung L [mm]
XOPSTR-00-08	78	24	41	30	26.5	51	15
XOPSTR-00-10	78	24	41	30	26.5	51	15
XOPSTR-01-12	85	30	50	36	33	52	23
XOPSTR-01-16	85	30	50	36	33	52	24
XOPSTR-02-20	111	48	68	44	42.5	71	31
XOPSTR-04-24	111	48	68	44	42.5	71	37
XOPSTR-05-30	145	54	91	65	58.5	86	45
XOPSTR-07-36	145	54	91	55	58.5	86	50
XOPSTR-08-36	190	62	108	81	72.5	115	59
XOPSTR-10-42	190	62	108	75	72.5	115	75
XOPSTR-15-42	242	68	131	89	87.5	151	63
XOPSTR-20-48	242	68	131	89	87.5	151	71

Artikel Name kurz	Abmessung M [mm]	Abmessung W [mm]	Nettogewicht kg [kg]
XOPSTR-00-08	8	43	0.27



Artikel Name kurz	Abmessung M [mm]	Abmessung W [mm]	Nettogewicht kg [kg]
XOPSTR-00-10	10	42	0.29
XOPSTR-01-12	12	40	0.5
XOPSTR-01-16	16	38	0.51
XOPSTR-02-20	20	54	1.25
XOPSTR-04-24	24	51	1.3
XOPSTR-05-30	30	62	3.25
XOPSTR-07-36	36	60	3.3
XOPSTR-08-36	36	88	5.9
XOPSTR-10-42	42	86	6.5
XOPSTR-15-42	42	121	11.2
XOPSTR-20-48	48	117	11.6



BESTELLNUMMERN

WLL t Winkel 0°	XOPSTR-00-08	XOPSTR-00-10	XOPSTR-01-12	XOPSTR-01-16	XOPSTR-02-20	XOPSTR-04-24	XOPSTR-05-30	XOPSTR-07-36	XOPSTR-08-36
0.3 t	2009239	-	-	-	-	-	-	-	-
0.63 t	-	2009287	-	-	-	-	-	-	-
1 t	-	-	2009288	-	-	-	-	-	-
1.5 t	-	-	-	2009289	-	-	-	-	-
2.5 t	-	-	-	-	2009290	-	-	-	-
4 t	-	-	-	-	-	2009291	-	-	-
5 t	-	-	-	-	-	-	2009292	-	-
7 t	-	-	-	-	-	-	-	2009293	-
8 t	-	-	-	-	-	-	-	-	2009294
10 t	-	-	-	-	-	-	-	-	-
15 t	-	-	-	-	-	-	-	-	-
20 t	-	-	-	-	-	-	-	-	-

WLL t Winkel 0°	XOPSTR-20-48
0.3 t	-
0.63 t	-
1 t	-
1.5 t	-
2.5 t	-
4 t	-
5 t	-
7 t	-
8 t	-
10 t	-
15 t	-
20 t	2009297

- **Hauptmaterial** Stahl
- **Farbe** Blau
- **Verpackungseinheit (VPE) Inhalt** 1

