



SupraPlus

SupraPlus Rundschlinge aus Polyester

| Artikel Name kurz | WLL [kg] | WLL [t] | L1 [m] | L1 min. [m] | ca. Auflagebreite unter Last in mm [mm] | ca. Auflagedicke unter Last in mm [mm] | Nettogewicht kg [kg] |
|---------------------------|-------------|------------|-----------|-------------------|---|--|----------------------------|
| SupraPlus-X 0.5t 0.5m | 500 | 0.5 | 0.5 | 0.5 | 38 | 4 | 0.1 |
| SupraPlus-X 0.5t 0.75m | 500 | 0.5 | 0.75 | 0.5 | 38 | 4 | 0.15 |
| SupraPlus-X 0.5t 1m | 500 | 0.5 | 1 | 0.5 | 38 | 4 | 0.2 |
| SupraPlus-X 0.5t 1.5m | 500 | 0.5 | 1.5 | 0.5 | 38 | 4 | 0.3 |
| SupraPlus-X 0.5t 2.0m | 500 | 0.5 | 2 | 0.5 | 38 | 4 | 0.4 |
| SupraPlus-X 0.5t 2.5m | 500 | 0.5 | 2.5 | 0.5 | 38 | 4 | 0.4 |
| SupraPlus-X 0.5t 3.0m | 500 | 0.5 | 3 | 0.5 | 38 | 4 | 0.4 |
| SupraPlus-X 0.5t 5.0m | 500 | 0.5 | 5 | 0.5 | 38 | 4 | 0.4 |
| SupraPlus-X 1t 0.5m | 1000 | 1 | 0.5 | 0.5 | 39 | 4 | 0.15 |
| SupraPlus-X 1t 0.75m | 1000 | 1 | 0.75 | 0.5 | 39 | 4 | 0.22 |
| SupraPlus-X 1t 1m | 1000 | 1 | 1 | 0.5 | 39 | 4 | 0.3 |
| SupraPlus-X 1t 1.5m | 1000 | 1 | 1.5 | 0.5 | 39 | 4 | 0.45 |
| SupraPlus-X 1t 2m | 1000 | 1 | 2 | 0.5 | 39 | 4 | 0.6 |
| SupraPlus-X 1t 2.5m | 1000 | 1 | 2.5 | 0.5 | 39 | 4 | 0.75 |
| SupraPlus-X 1t 3m | 1000 | 1 | 3 | 0.5 | 39 | 4 | 0.9 |
| SupraPlus-X 1t 4m | 1000 | 1 | 4 | 0.5 | 39 | 4 | 1.2 |
| SupraPlus-X 1t 5m | 1000 | 1 | 5 | 0.5 | 39 | 4 | 1.5 |
| SupraPlus-X 1t 6m | 1000 | 1 | 6 | 0.5 | 39 | 4 | 2.4 |
| SupraPlus-X 1t 10m | 1000 | 1 | 10 | 0.5 | 39 | 4 | 4 |
| SupraPlus-X 2t 0.5m | 2000 | 2 | 0.5 | 0.5 | 40 | 8 | 0.25 |



| Artikel Name kurz | WLL [kg] | WLL [t] | L1 [m] | L1 min. [m] | ca. Auflagebreite unter Last in mm [mm] | ca. Auflagedicke unter Last in mm [mm] | Nettogewicht kg [kg] |
|-------------------------|-------------|------------|-----------|-------------------|---|--|----------------------------|
| SupraPlus-X 2t 0.75m | 2000 | 2 | 0.75 | 0.5 | 40 | 8 | 0.37 |
| SupraPlus-X 2t 1m | 2000 | 2 | 1 | 0.5 | 40 | 8 | 0.5 |
| SupraPlus-X 2t 1.5m | 2000 | 2 | 1.5 | 0.5 | 40 | 8 | 0.75 |
| SupraPlus-X 2t 2m | 2000 | 2 | 2 | 0.5 | 40 | 8 | 1 |
| SupraPlus-X 2t 2.5m | 2000 | 2 | 2.5 | 0.5 | 40 | 8 | 1.25 |
| SupraPlus-X 2t 3m | 2000 | 2 | 3 | 0.5 | 40 | 8 | 1.5 |
| SupraPlus-X 2t 4m | 2000 | 2 | 4 | 0.5 | 40 | 8 | 2 |
| SupraPlus-X 2t 5m | 2000 | 2 | 5 | 0.5 | 40 | 8 | 2.5 |
| SupraPlus-X 2t 6m | 2000 | 2 | 6 | 0.5 | 40 | 8 | 3 |
| SupraPlus-X 3t 0.5m | 3000 | 3 | 0.5 | 0.5 | 48 | 8 | - |
| SupraPlus-X 3t 1m | 3000 | 3 | 1 | 0.5 | 48 | 8 | 0.6 |
| SupraPlus-X 3t 1.5m | 3000 | 3 | 1.5 | 0.5 | 48 | 8 | 0.9 |
| SupraPlus-X 3t 2m | 3000 | 3 | 2 | 0.5 | 48 | 8 | 1.2 |
| SupraPlus-X 3t 2.5m | 3000 | 3 | 2.5 | 0.5 | 48 | 8 | 1.5 |
| SupraPlus-X 3t 3m | 3000 | 3 | 3 | 0.5 | 48 | 8 | 1.8 |
| SupraPlus-X 3t 3.5m | 3000 | 3 | 3.5 | 0.5 | 48 | 8 | 2 |
| SupraPlus-X 3t 4m | 3000 | 3 | 4 | 0.5 | 48 | 8 | 2.4 |
| SupraPlus-X 3t 5m | 3000 | 3 | 5 | 0.5 | 48 | 8 | 3.0 |
| SupraPlus-X 3t 6m | 3000 | 3 | 6 | 0.5 | 48 | 8 | 3.6 |
| SupraPlus-X 4t 0.5m | 4000 | 4 | 0.5 | 0.75 | 54 | 9 | 0.4 |
| SupraPlus-X 4t 1m | 4000 | 4 | 1 | 0.75 | 54 | 9 | 0.8 |



| Artikel Name kurz | WLL [kg] | WLL [t] | L1 [m] | L1 min. [m] | ca. Auflagebreite unter Last in mm [mm] | ca. Auflagedicke unter Last in mm [mm] | Nettogewicht kg [kg] |
|------------------------|-------------|------------|-----------|-------------------|---|--|----------------------------|
| SupraPlus-X 4t 1.5m | 4000 | 4 | 1.5 | 0.75 | 54 | 9 | 1.2 |
| SupraPlus-X 4t 2m | 4000 | 4 | 2 | 0.75 | 54 | 9 | 1.6 |
| SupraPlus-X 4t 2.5m | 4000 | 4 | 2.5 | 0.75 | 54 | 9 | 2 |
| SupraPlus-X 4t 3m | 4000 | 4 | 3 | 0.75 | 54 | 9 | 2.4 |
| SupraPlus-X 4t 4m | 4000 | 4 | 4 | 0.75 | 54 | 9 | 3.2 |
| SupraPlus-X 4t 5m | 4000 | 4 | 5 | 0.75 | 54 | 9 | 4 |
| SupraPlus-X 4t 6m | 4000 | 4 | 6 | 0.75 | 54 | 9 | 4.8 |
| SupraPlus-X 4t 8m | 4000 | 4 | 8 | 0.75 | 54 | 9 | - |
| SupraPlus-X 5t 0.5m | 5000 | 5 | 0.5 | 0.75 | 59 | 11 | 2 |
| SupraPlus-X 5t 1m | 5000 | 5 | 1 | 0.75 | 59 | 11 | 1 |
| SupraPlus-X 5t 1.5m | 5000 | 5 | 1.5 | 0.75 | 59 | 11 | 1.5 |
| SupraPlus-X 5t 2m | 5000 | 5 | 2 | 0.75 | 59 | 11 | 2 |
| SupraPlus-X 5t 2.5m | 5000 | 5 | 2.5 | 0.75 | 59 | 11 | 2.5 |
| SupraPlus-X 5t 3m | 5000 | 5 | 3 | 0.75 | 59 | 11 | 3 |
| SupraPlus-X 5t 3.5m | 5000 | 5 | 3.5 | 0.75 | 59 | 11 | 3.5 |
| SupraPlus-X 5t 4m | 5000 | 5 | 4 | 0.75 | 59 | 11 | 4 |
| SupraPlus-X 5t 5m | 5000 | 5 | 5 | 0.75 | 59 | 11 | 5 |
| SupraPlus-X 5t 6m | 5000 | 5 | 6 | 0.75 | 59 | 11 | 6 |
| SupraPlus-X 6t 1m | 6000 | 6 | 1 | 0.75 | 68 | 11 | 1.2 |
| SupraPlus-X 6t 1.5m | 6000 | 6 | 1.5 | 0.75 | 68 | 11 | 1.8 |
| SupraPlus-X 6t 2m | 6000 | 6 | 2 | 0.75 | 68 | 11 | 2.4 |



| Artikel Name kurz | WLL [kg] | WLL [t] | L1 [m] | L1 min. [m] | ca. Auflagebreite unter Last in mm [mm] | ca. Auflagedicke unter Last in mm [mm] | Nettogewicht kg [kg] |
|---------------------|----------|---------|--------|-------------|---|--|----------------------|
| SupraPlus-X 6t 2.5m | 6000 | 6 | 2.5 | 0.75 | 68 | 11 | 3 |
| SupraPlus-X 6t 3m | 6000 | 6 | 3 | 0.75 | 68 | 11 | 3.6 |
| SupraPlus-X 6t 4m | 6000 | 6 | 4 | 0.75 | 68 | 11 | 4.8 |
| SupraPlus-X 6t 5m | 6000 | 6 | 5 | 0.75 | 68 | 11 | 6 |
| SupraPlus-X 6t 6m | 6000 | 6 | 6 | 0.75 | 68 | 11 | 7.2 |
| SupraPlus-X 8t 1m | 8000 | 8 | 1 | 0.75 | 74 | 13 | 1.6 |
| SupraPlus-X 8t 1.5m | 8000 | 8 | 1.5 | 0.75 | 74 | 13 | 2.4 |
| SupraPlus-X 8t 2m | 8000 | 8 | 2 | 0.75 | 74 | 13 | - |
| SupraPlus-X 8t 2.5m | 8000 | 8 | 2.5 | 0.75 | 74 | 13 | 4 |
| SupraPlus-X 8t 3m | 8000 | 8 | 3 | 0.75 | 74 | 13 | 4.8 |
| SupraPlus-X 8t 4m | 8000 | 8 | 4 | 0.75 | 74 | 13 | 6.4 |
| SupraPlus-X 8t 5m | 8000 | 8 | 5 | 0.75 | 74 | 13 | 8 |
| SupraPlus-X 8t 6m | 8000 | 8 | 6 | 0.75 | 74 | 13 | 9.6 |

| Artikel Name kurz | Gewicht pro Meter [kg/m] | Farbe |
|------------------------|--------------------------|----------|
| SupraPlus-X 0.5t 0.5m | 0.2 | Olivgrün |
| SupraPlus-X 0.5t 0.75m | 0.2 | Olivgrün |
| SupraPlus-X 0.5t 1m | 0.2 | Olivgrün |
| SupraPlus-X 0.5t 1.5m | 0.2 | Olivgrün |
| SupraPlus-X 0.5t 2.0m | 0.2 | Olivgrün |
| SupraPlus-X 0.5t 2.5m | 0.2 | Olivgrün |
| SupraPlus-X 0.5t 3.0m | 0.2 | Olivgrün |



| Artikel Name kurz | Gewicht pro Meter [kg/m] | Farbe |
|-------------------|-----------------------------|-------|
|-------------------|-----------------------------|-------|

| | | |
|-----------------------|-----|----------|
| SupraPlus-X 0.5t 5.0m | 0.2 | Olivgrün |
| SupraPlus-X 1t 0.5m | 0.3 | violett |
| SupraPlus-X 1t 0.75m | 0.3 | violett |
| SupraPlus-X 1t 1m | 0.3 | violett |
| SupraPlus-X 1t 1.5m | 0.3 | violett |
| SupraPlus-X 1t 2m | 0.3 | violett |
| SupraPlus-X 1t 2.5m | 0.3 | violett |
| SupraPlus-X 1t 3m | 0.3 | violett |
| SupraPlus-X 1t 4m | 0.3 | violett |
| SupraPlus-X 1t 5m | 0.3 | violett |
| SupraPlus-X 1t 6m | 0.3 | violett |
| SupraPlus-X 1t 10m | 0.3 | violett |
| SupraPlus-X 2t 0.5m | 0.5 | Grün |
| SupraPlus-X 2t 0.75m | 0.5 | Grün |
| SupraPlus-X 2t 1m | 0.5 | Grün |
| SupraPlus-X 2t 1.5m | 0.5 | Grün |
| SupraPlus-X 2t 2m | 0.5 | Grün |
| SupraPlus-X 2t 2.5m | 0.5 | Grün |
| SupraPlus-X 2t 3m | 0.5 | Grün |
| SupraPlus-X 2t 4m | 0.5 | Grün |
| SupraPlus-X 2t 5m | 0.5 | Grün |
| SupraPlus-X 2t 6m | 0.5 | Grün |
| SupraPlus-X 3t 0.5m | 0.6 | Gelb |
| SupraPlus-X 3t 1m | 0.6 | Gelb |
| SupraPlus-X 3t 1.5m | 0.6 | Gelb |
| SupraPlus-X 3t 2m | 0.6 | Gelb |
| SupraPlus-X 3t 2.5m | 0.6 | Gelb |

| Artikel Name kurz | Gewicht pro Meter [kg/m] | Farbe |
|---------------------|-----------------------------|-------|
| SupraPlus-X 3t 3m | 0.6 | Gelb |
| SupraPlus-X 3t 3.5m | 0.6 | Gelb |
| SupraPlus-X 3t 4m | 0.6 | Gelb |
| SupraPlus-X 3t 5m | 0.6 | Gelb |
| SupraPlus-X 3t 6m | 0.6 | Gelb |
| SupraPlus-X 4t 0.5m | 0.8 | Grau |
| SupraPlus-X 4t 1m | 0.8 | Grau |
| SupraPlus-X 4t 1.5m | 0.8 | Grau |
| SupraPlus-X 4t 2m | 0.8 | Grau |
| SupraPlus-X 4t 2.5m | 0.8 | Grau |
| SupraPlus-X 4t 3m | 0.8 | Grau |
| SupraPlus-X 4t 4m | 0.8 | Grau |
| SupraPlus-X 4t 5m | 0.8 | Grau |
| SupraPlus-X 4t 6m | 0.8 | Grau |
| SupraPlus-X 4t 8m | 0.8 | Grau |
| SupraPlus-X 5t 0.5m | 1.0 | Rot |
| SupraPlus-X 5t 1m | 1.0 | Rot |
| SupraPlus-X 5t 1.5m | 1.0 | Rot |
| SupraPlus-X 5t 2m | 1.0 | Rot |
| SupraPlus-X 5t 2.5m | 1.0 | Rot |
| SupraPlus-X 5t 3m | 1.0 | Rot |
| SupraPlus-X 5t 3.5m | 1.0 | Rot |
| SupraPlus-X 5t 4m | 1.0 | Rot |
| SupraPlus-X 5t 5m | 1.0 | Rot |
| SupraPlus-X 5t 6m | 1.0 | Rot |
| SupraPlus-X 6t 1m | 1.2 | Braun |
| SupraPlus-X 6t 1.5m | 1.2 | Braun |

| Artikel Name kurz | Gewicht pro Meter [kg/m] | Farbe |
|---------------------|-----------------------------|-------|
| SupraPlus-X 6t 2m | 1.2 | Braun |
| SupraPlus-X 6t 2.5m | 1.2 | Braun |
| SupraPlus-X 6t 3m | 1.2 | Braun |
| SupraPlus-X 6t 4m | 1.2 | Braun |
| SupraPlus-X 6t 5m | 1.2 | Braun |
| SupraPlus-X 6t 6m | 1.2 | Braun |
| SupraPlus-X 8t 1m | 1.6 | Blau |
| SupraPlus-X 8t 1.5m | 1.6 | Blau |
| SupraPlus-X 8t 2m | 1.6 | Blau |
| SupraPlus-X 8t 2.5m | 1.6 | Blau |
| SupraPlus-X 8t 3m | 1.6 | Blau |
| SupraPlus-X 8t 4m | 1.6 | Blau |
| SupraPlus-X 8t 5m | 1.6 | Blau |
| SupraPlus-X 8t 6m | 1.6 | Blau |

BESTELLNUMMERN

| Abmessung L1 | 500 kg | 1000 kg | 2000 kg | 3000 kg | 4000 kg | 5000 kg | 6000 kg | 8000 kg |
|--------------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0.5 m | 2019184 | 2019189 | 2019198 | 2027101 | 2027104 | 2027105 | - | - |
| 0.75 m | 2019185 | 2019190 | 2019199 | - | - | - | - | - |
| 1 m | 2019186 | 2019191 | 2019200 | 2019208 | 2024570 | 2024811 | 2024571 | 2024816 |
| 1.5 m | 2019187 | 2019192 | 2019201 | 2019209 | 2024669 | 2024812 | 2024814 | 2024817 |
| 2 m | 2019188 | 2019193 | 2019202 | 2019210 | 2019216 | 2019222 | 2022135 | 2022140 |
| 2.5 m | 2027097 | 2019194 | 2019203 | 2019211 | 2019217 | 2024813 | 2024815 | 2024818 |
| 3 m | 2027098 | 2019195 | 2019204 | 2019212 | 2019218 | 2019223 | 2022136 | 2022141 |
| 3.5 m | - | - | - | 2027103 | - | 2027106 | - | - |
| 4 m | - | 2019196 | 2019205 | 2019213 | 2019219 | 2019224 | 2022137 | 2022142 |
| 5 m | 2027099 | 2019197 | 2019206 | 2019214 | 2019220 | 2019225 | 2022138 | 2022143 |
| 6 m | - | 2024660 | 2019207 | 2019215 | 2019221 | 2019226 | 2022139 | 2022144 |
| 8 m | - | - | - | - | 2024668 | - | - | - |
| 10 m | - | - | 2027100 | - | - | - | - | - |



| | |
|-----------------------------------|-----------------|
| ■ Normen | EN 1492-2: 2000 |
| ■ Hauptmaterial | Polyester |
| ■ Temperaturbereich | - 40° / +100°C |
| ■ Etikettenschutz | Ja |
| ■ Verpackungseinheit (VPE) Inhalt | 1 |